

SEQUENCE LISTING

JC09 Rec'd PCT/PTO 18 OCT 2005

<110> SEKISUI CHEMICAL CO., LTD.

<120> IMMUNOGEN, COMPOSITION FOR IMMUNOLOGICAL USE, AND METHOD OF PRODUCING ANTIBODY USING THE SAME

<130> P0001632

<150> JP2003-114503

<151> 2003-04-18

<160> 20

<170> PatentIn version 3.1

<210> 1

<211> 1647

<212> DNA

<213> Escherichia coli

<400> 1

| | |
|--|-----|
| atggcagcta aagacgtaaa attcggtaac gacgctcgtg tgaaaatgct gcgcggcgta | 60 |
| aacgtactgg cagatgcagt gaaagttacc ctcggtccaa aaggccgtaa cgtagttctg | 120 |
| gataaatctt tcggtgcacc gaccatcacc aaagatggtg tttccgttgc tcgtgaaatc | 180 |
| gaactggaag acaagttcga aaatatgggt gcgcagatgg tgaaagaagt tgcctctaaa | 240 |
| gcaaacgacg ctgcaggcga cggtagcacc actgcaaccg tactggctca ggctatcatc | 300 |
| actgaaggtc tgaaagctgt tgctgcgggc atgaaccga tggacctgaa acgtggtatc | 360 |
| gacaaagcgg ttaccgctgc agttgaagaa ctgaaagcgc tgtccgtacc atgctctgac | 420 |
| tctaaagcga ttgctcaggt tggtagctatc tccgctaact ccgacgaaac cgtaggtaaa | 480 |
| ctgatcgtg aagcgatgga caaagtcggt aaagaaggcg ttatcacctg tgaagacggt | 540 |
| accggtctgc aggacgaact ggacgtggtt gaaggatatgc agttcgaccg tggctacctg | 600 |
| tctccttact tcatcaacaa gccggaaaact ggcgtagtag aactggaaag cccgttcac | 660 |

```

ctgctggctg acaagaaaat ctccaacatc cgcgaaatgc tgccggttct ggaagctggt 720
gccaaagcag gcaaaccgct gctgatcatc gctgaagatg tagaaggcga agcgctggca 780
actgctgttg ttaacaccat tcgtggcatc gtgaaagtcg ctgcggttaa agcaccgggc 840
ttcggcgatc gtcgtaaagc tatgctgcag gatatcgcaa cctgactgg cggtaccgtg 900
atctctgaag agatcggtat ggagctggaa aaagcaacc tgaagacct gggtcaggct 960
aaacgtgttg tgatcaacaa agacaccacc actatcatcg atggcgtggg tgaagaagct 1020
gcaatccagg gccgtgttgc tcagatccgt cagcagattg aagaagcaac ttctgactac 1080
gaccgtgaaa aactgcagga acgcgtagcg aaactggcag gcggcggtgc agttatcaaa 1140
gtgggtgctg ctaccgaagt tgaaatgaaa gagaaaaaag cacgcgttga agatgccctg 1200
cacgcgaccc gtgctgcggt agaagaaggc gtggttgctg gtggtggtgt tgcgctgac 1260
cgcgtagcgt ctaaactggc tgacctgcgt ggtcagaacg aagaccagaa cgtgggtatc 1320
aaagttgcac tgcgtgcaat ggaagctccg ctgcgtcaga tcgtattgaa ctgcggcgaa 1380
gaaccgtctg ttgttgctaa caccgttaaa ggcggcgacg gcaactacgg ttacaacgca 1440
gcaaccgaag aatacggcaa catgatcgac atgggtatcc tggatccaac caaagtaact 1500
cgttctgctc tgcagtacgc agcttctgtg gctggcctga tgatcaccac cgaatgcatg 1560
gttaccgacc tgccgaaaaa cgatgcagct gacttaggcg ctgctggcgg tatgggcggc 1620
atgggtggca tgggcggcat gatgtaa 1647

```

```

<210> 2
<211> 42
<212> DNA
<213> Artificial

```

```

<220>
<223> Designed oligonucleotide primer for PCR

```

```

<400> 2

```

agccactagt gcagctaaag acgtaaaatt cggtaacgac gc 42

<210> 3
<211> 44
<212> DNA
<213> Artificial

<220>
<223> Designed oligonucleotide primer for PCR

<400> 3
agcctctaga catcatgccg ccgatgccac ccatgccgcc cata 44

<210> 4
<211> 40
<212> DNA
<213> Artificial

<220>
<223> Designed oligonucleotide linker

<400> 4
ggtctagatg gaagttctgt tccagggtcc ggagatctcc 40

<210> 5
<211> 40
<212> DNA
<213> Artificial

<220>
<223> Designed oligonucleotide linker

<400> 5
ggagatctcc ggaccctgga acagaacttc catctagacc 40

<210> 6
<211> 1266
<212> DNA
<213> Homo sapiens

<400> 6

| | |
|--|------|
| atggatgtgc tcagccctgg tcagggcaac aacaccacat caccaccggc tccctttgag | 60 |
| accggcggca acactactgg tatctccgac gtgaccgtca gctaccaagt gatcacctct | 120 |
| ctgctgctgg gcacgctcat cttctgcgcg gtgctgggca atgcgtgcgt ggtggctgcc | 180 |
| atgccttgg agcgctccct gcagaacgtg gccaaattatc ttattggctc tttggcggtc | 240 |
| accgacctca tgggtgctgggt gttgggtgctg cccatggccg cgctgtatca ggtgctcaac | 300 |
| aagtggacac tgggccaggt aacctgcgac ctgttcatcg ccctcgacgt gctgtgctgc | 360 |
| acctcatcca tcttgcaact gtgcgccatc gcgctggaca ggtactgggc catcacggac | 420 |
| cccatcgact acgtgaacaa gaggacgccc cggccgcgtg cgctcatctc gtcacttgg | 480 |
| cttattggct tctcatctc tateccgccc atcctgggct ggcgaccccc ggaagaccgc | 540 |
| tcggaccccg acgcatgcac cattagcaag gatcatgggt aactatctta ttccaccttt | 600 |
| ggagctttct acatcccgt gctgctcatg ctggttctct atgggcgcat attccgagct | 660 |
| gcgcgcttcc gcatccgcaa gacgggtcaaa aaggtggaga agaccggagc ggacaccgc | 720 |
| catggagcat ctcccgcgcc gcagcccaag aagagtgtga atggagagtc ggggagcagg | 780 |
| aactggaggc tgggcgtgga gagcaaggct ggggggtgctc tgtgcgcaa tggcgcggtg | 840 |
| aggcaagggtg acgatggcgc cgccctggag gtgatcgagg tgcaccgagt gggcaactcc | 900 |
| aaagagcact tgctctgcc cagcgaggct ggtcctacct cttgtgcccc cgctcttttc | 960 |
| gagaggaaaa atgagcgcaa cgccgaggcg aagcgcaaga tggccctggc ccgagagagg | 1020 |
| aagacagtga agacgtggg catcatcatg ggcaccttca tcctctgctg gctgcccttc | 1080 |
| ttcatcgtag ctcttgttct gcccttctgc gagagcagct gccacatgcc caccctgttg | 1140 |
| ggcgccataa tcaattggct gggctactcc aactctctgc ttaaccccgt catttacgca | 1200 |
| tacttcaaca aggactttca aaacgcgttt aagaagatca ttaagtgtaa cttctgccgc | 1260 |
| cagtga | 1266 |

<210> 7
 <211> 29
 <212> DNA
 <213> Artificial

<220>
 <223> Designed oligonucleotide primer for PCR

<400> 7
 agccagatct atggatgtgc tcagccctg 29

<210> 8
 <211> 29
 <212> DNA
 <213> Artificial

<220>
 <223> Designed oligonucleotide primer for PCR

<400> 8
 agccctcgag ctggcggcag aagttacac 29

<210> 9
 <211> 1641
 <212> DNA
 <213> Thermococcus sp. KS-1

<400> 9
 atggcccagc ttgcaggcca gccagttggtt attctacctg agggaaactca gaggtacgtt 60
 ggaagggacg cccagaggct caacattctt gctgccagga ttatagccga gacggtaga 120
 accacccttg gaccaaagg aatggacaag atgctcggtg acagcctcgg cgacatcgtc 180
 atcaccaacg acggtgcaac cattctcgac gagatggaca tccagcacc tgctgctaag 240
 atgatggttg aggttgctaa gactcaggat aaggaggctg gtgatggtac tactactgcg 300
 gttgttattg ctggtgagct tctgaggaag gctgaggagc ttctcgacca gaacattcac 360

| | |
|---|------|
| ccgagcataa tcatcaaggg ctacgccctc gcagcagaga aagcccagga aatactcgac | 420 |
| gagatagcca aggacgttga cgtcgaggac agggagattc tcaagaaggc cgcggtcacc | 480 |
| tccatcaccg gaaaggccgc cgaggaggag agggagtacc tcgctgagat agcagttgag | 540 |
| gccgtcaagc aggttgccga gaaggttggc gagacctaca aggtcgacct cgacaacatc | 600 |
| aagttcgaga agaaggaagg tggaagcgtc aaggacaccc agtcataaa ggggtgtcgtc | 660 |
| atcgacaagg aggtcgtcca cccaggcatg ccgaagaggg tcgagggtgc taagatcgcc | 720 |
| ctcatcaacg aggcccttga ggtcaaggag actgagaccg acgccgagat caggatcacc | 780 |
| agcccggagc agtccaggc cttccttgag caggaggaga agatgctcag ggagatggtc | 840 |
| gacaagatca aggaggtcgg cgcgaacgtc gtgttcgtcc agaaggcat tgacgacctt | 900 |
| gcccagcact acctggccaa gtacggcata atggcagtca ggagggtcaa gaagagcgac | 960 |
| atggagaagc tcgccaaggc cactggagct aagatcgta ccaacgtccg cgacctcacc | 1020 |
| ccggaggacc tcggtgaggc cgagctcgtc gagcagagga aggtcgccgg cgagaacatg | 1080 |
| atcttcgtcg agggctgcaa gaaccgaag gcagtgcaca tactcatcag gggcgggtacc | 1140 |
| gagcacgtcg ttgacgaggt cgagagggcc ctcgaggatg ccgtcaaggt cgtcaaggac | 1200 |
| atcgtcgagg acggcaagat cgtcgccgcc ggcggtgctc cggagatcga gctcagcatc | 1260 |
| aggctcgacg agtacgcga ggaggtcggc ggcaaggagc agctcgccat cgaggccttt | 1320 |
| gcagaggccc tcaaggtcat tccgaggacc ctcgccgaga acgccgtct cgacccgatc | 1380 |
| gagaccctcg ttaaggtcat cgccgccac aaggagaagg gaccgacat cggtgttgac | 1440 |
| gtcttcgagg gcgagccggc cgacatgctc ggcgcggcg tcatcgcccc ggtcagggtt | 1500 |
| ccgaagcagg ccatcaagag cgccagcgag gccgccataa tgatcctcag gatcgacgac | 1560 |
| gtcatcgccg ccagcaagct cgagaaggac aaggagggcg gcaaggcg tagcgaggac | 1620 |
| ttcggaagcg atctcgactg a | 1641 |

<210> 10
 <211> 35
 <212> DNA
 <213> Artificial

<220>

<223> Designed oligonucleotide primer for PCR

<400> 10

ggagatctgc ccagcttgca ggccagccag ttgtt

35

<210> 11
 <211> 35
 <212> DNA
 <213> Artificial

<220>

<223> Designed oligonucleotide primer for PCR

<400> 11

ccgatccga cgagatcgct tccgaagtcc tcgct

35

<210> 12
 <211> 76
 <212> DNA
 <213> Artificial

<220>

<223> Designed oligonucleotide linker

<400> 12

ggcatatggg atccctgggt ccgcgtggct caagatctct cgagcatcgc catcgccatc

60

gctaatagga attccc

76

<210> 13
 <211> 76
 <212> DNA
 <213> Artificial

<220>

<223> Designed oligonucleotide linker

<400> 13

gggaattcct attagcgatg gcgatggcga tgctcgagag atcttgagcc acgcggaacc 60

agggatccca tatgcc 76

<210> 14

<211> 480

<212> DNA

<213> Thermococcus sp. KS-1

<400> 14

atgaaagttg aagctggtga ttatgttctc ttccactacg ttggaaggtt cgaggatgga 60

gaagtttttg acacaagcta cgaggagata gccagagaga atggcattct cgtcgaggag 120

agggagtacg gcccaatgtg ggtcaggata ggcgtcggtg agatcatccc tggcctcgat 180

gaagccataa ttggcatgga agctggagag aagaagaccg tgaccgttcc ccccgagaag 240

gcttacggaa tgccgaaccc agagcttgta atctccgttc caagggaaga attcaciaag 300

gccggccttg aaccccagga aggtctctac gtcatgaccg attctggcat agccaagata 360

gtttccgttg gagagagcga ggtatccctt gacttcaacc acccgctagc aggtaagacc 420

ctagtctttg aggtagaagt catagaagta aaaaaggccg aagaggactc agaagcttag 480

<210> 15

<211> 28

<212> DNA

<213> Artificial

<220>

<223> Designed oligonucleotide primer for PCR

<400> 15

ggccatggga aaagttgaag ctggtgat 28

<210> 16
<211> 26
<212> DNA
<213> Artificial

<220>

<223> Designed oligonucleotide primer for PCR

<400> 16

ccactagtag cttctgagtc ctcttc

26

<210> 17
<211> 40
<212> DNA
<213> Artificial

<220>

<223> Designed oligonucleotide linker

<400> 17

ggactagtct ggttcgcgt ggatcccata tggaatccgg

40

<210> 18
<211> 40
<212> DNA
<213> Artificial

<220>

<223> Designed olligonucleotide linker

<400> 18

ccggattcca tatgggatcc acgcggaacc agactagtcc

40

<210> 19
<211> 24
<212> DNA
<213> Artificial

<220>

<223> Designed oligonucleotide primer for PCR

<400> 19

ggcatatgga tgtgctcagc cctg

24

<210> 20

<211> 45

<212> DNA

<213> Artificial

<220>

<223> Designed oligonucleotide primer for PCR

<400> 20

ccgagctcgc gatggcgatg gcgatgctgg cggcagaagt tacac

45